

Les références (ordre alphabétique) 26/10/2022

En rouge Articles émanant des industriels produisant les poisons

En gras Articles rapportant explicitement la toxicité des SDHI

NB : Recherche possible par mot clé dans Acrobat (loupe)

1. Ajigboye OO, Lu C, Murchie EH, Schlatter C, Swart G, Ray RV. Altered gene expression by sedaxane increases PSII efficiency, photosynthesis and growth and improves tolerance to drought in wheat seedlings. *Pestic Biochem Physiol.* 2017 Apr;137:49-61 <https://pubmed.ncbi.nlm.nih.gov/28364804/>
2. Aksakal FI. Evaluation of boscalid toxicity on *Daphnia magna* by using antioxidant enzyme activities, the expression of genes related to antioxidant and detoxification systems, and life-history parameters. *Comp Biochem Physiol C Toxicol Pharmacol.* 2020 Nov;237:108830. <https://pubmed.ncbi.nlm.nih.gov/32535132/>
3. Akyl D, Özkara A, Erdoğan SF, Eren Y, Konuk M, Sağlam E. Evaluation of cytotoxic and genotoxic effects of Benodanil by using *Allium* and Micronucleus assays. *Drug Chem Toxicol.* 2016;39(1):35-40. <https://pubmed.ncbi.nlm.nih.gov/26333298/>
4. Al Khazal F, Holte MN, Bolon B, White TA, LeBrasseur N, Maher LJ 3rd. A conditional mouse model of complex II deficiency manifesting as Leigh-like syndrome. *FASEB J.* 2019 Dec;33(12):13189-1320 <http://endsdhi.com/wp-content/uploads/2020/12/mouse-CII-Leigh.pdf>
5. Al Khazal F, Kang S, Nelson Holte M, Choi DS, Singh R, Ortega-Sáenz P, López-Barneo J, Maher LJ 3rd. Unexpected obesity, rather than tumorigenesis, in a conditional mouse model of mitochondrial complex II deficiency. *FASEB J.* 2021 Feb;35(2):e21227. <http://endsdhi.com/wp-content/uploads/2020/12/obesity-sdh.pdf>
6. Ayer KM, Choi MW, Smart ST, Moffett AE, Cox KD. The Effects of Succinate Dehydrogenase Inhibitor Fungicide Dose and Mixture on Development of Resistance in *Venturia inaequalis*. *Appl Environ Microbiol.* 2020 Aug 18;86(17):e01196-20. <https://pubmed.ncbi.nlm.nih.gov/32631859/>
7. Ayer K, Strickland D, Choi MW, Cox K. Optimizing the integration of a biopesticide (*Bacillus subtilis* QST 713) with a single-site fungicide (benzovindiflupyr) to reduce reliance on synthetic multi-site fungicides (captan and mancozeb) for management of apple scab. *Plant Dis.* 2021 Jun 18. doi: 10.1094/PDIS-02-21-0426-R <https://pubmed.ncbi.nlm.nih.gov/34142850/>

8. **Azpiazu C, Bosch J, Bortolotti L, Medrzycki P, Teper D, Molowny-Horas R, Sgolastra F. Toxicity of the insecticide sulfoxaflor alone and in combination with the fungicide fluxapyroxad in three bee species. Sci Rep. 2021 Mar 25;11(1):6821. <http://endsdhi.com/wp-content/uploads/2021/03/toxicity-of-the-insecticide-sulfoxaflor-alone-and-in-combination-with-the-fungicide-fluxapyroxad-in-three-bee-species.pdf>**
9. Benachour N, Séralini GE. Glyphosate formulations induce apoptosis and necrosis in human umbilical, embryonic, and placental cells. Chem Res Toxicol. 2009 Jan;22(1):97- 105 <https://pubmed.ncbi.nlm.nih.gov/19105591/>
10. Bénit P, Bortoli S, Chretien D, Rak M, Rustin P. 2018. Pathologies liés au cycle de Krebs. Rev Francophone des Laboratoires 501,:49-57 <http://endsdhi.com/wp-content/uploads/2019/05/2018-Benit-Revue-Francophone-des-Laboratoires-RFL-18.pdf>
11. Bénit P, Goncalves J, El Khoury R, Rak M, Favier J, Gimenez-Roqueplo AP, Rustin P. Succinate Dehydrogenase, Succinate, and Superoxides: A Genetic, Epigenetic, Metabolic, Environmental Explosive Crossroad. Biomedicines. 2022 Jul 25;10(8):1788. doi: 10.3390/biomedicines10081788. PMID: 35892689. <https://www.mdpi.com/2227-9059/10/8/1788> (en Français, <http://endsdhi.com/wp-content/uploads/2022/07/revue-en-Francais.pdf>)
12. **Bénit P, Kahn A, Chretien D, Bortoli S, Huc L, Schiff M, Gimenez-Roqueplo AP, Favier J, Gressens P, Rak M, Rustin P. Evolutionarily conserved susceptibility of the mitochondrial respiratory chain to SDHI pesticides and its consequence on the impact of SDHIs on human cultured cells. PLoS One. 2019 Nov 7;14(11):e0224132. En Français : <http://endsdhi.com/wp-content/uploads/2019/11/2019-Benit-et-al-version-française-PlosOne-19.pdf> En Anglais : <http://endsdhi.com/wp-content/uploads/2019/11/2019-Benit-PlosOne-et-S-19.pdf>**
13. Bénit P, Letouze E, Rak M, Aubry L, Burnichon N, Favier J, Gimenez-Roqueplo AP, Rustin P. 2014. Unsuspected task for an old team: Succinate, fumarate and other Krebs cycle acids in metabolic remodelling. BBA Bioenergetics 1837, 1330-37 <http://endsdhi.com/wp-content/uploads/2019/05/2014-Benit-Biochim-Biophys-Acta-14.pdf>
14. **Bénit P, Rak M et Rustin P. Poster Groupement Français de Bioenergetique 10/2019 <http://endsdhi.com/wp-content/uploads/2019/10/Poster-GFB-2019-paule.pdf>**
15. Birr T, Hasler M, Verreet JA, Klink H. Temporal changes in sensitivity of Zymoseptoria tritici field populations to different fungicidal modes of action. Agriculture 2021 11:269 <http://endsdhi.com/wp-content/uploads/2022/03/temporal-changes-in-sensitivity-of-zymoseptoria.pdf>

16. Bourgeron T., Rustin P., Chretien D., Birch-Machin M., Bourgeois M., Munnich A., Rötig A.(1995) Mutation of a nuclear succinate dehydrogenase gene results in mitochondrial respiratory chain deficiency. *Nature Genet.* 11:144-149 <http://endsdhi.com/wp-content/uploads/2019/05/1995-Bourgeron-Nat-Genet-SDH.pdf>
17. Brenet A, Hassan-Abdi R, Soussi-Yanicostas N. Bixafen, a succinate dehydrogenase inhibitor fungicide, causes microcephaly and motor neuron axon defects during development. *Chemosphere.* 2021 Feb;265:128781. <https://doi.org/10.1016/j.chemosphere.2020.128781>
18. Brière J.J., Favier J., Bénil P., El Ghouzzi V., Lorenzato A., Rabier D., Di Renzo MF, Gimenez-Roqueplo A.P., Rustin P. 2005 An organic acid, mitochondrial succinate, is instrumental for tumorigenesis in SDH deficiency. *Hum Mol Gen* 14, 3263-9 <http://endsdhi.com/wp-content/uploads/2019/05/2005-Brière-Hum-Mol-Genet-05.pdf>
19. Brière J.J., Favier J., El Ghouzzi V., Djouadi F., Gimenez A.P., Rustin P. 2005 Succinate deficiency in humans. *Cell Mol Life Sci* 62, 2317-24 <http://endsdhi.com/wp-content/uploads/2019/05/2005-Briere-Cell-Mol-Life-Sci-05.pdf>
20. Brühl CA, Bakanov N, Köthe S, Eichler L, Sorg M, Hörren T, Mühlethaler R, Meinel G, Lehmann GUC. Direct pesticide exposure of insects in nature conservation areas in Germany. *Sci Rep.* 2021 Dec 16;11(1):24144. <https://pubmed.ncbi.nlm.nih.gov/34916546/>
21. Bundschuh M, Zubrod JP, Wernicke T, Konschak M, Werner L, Brühl CA, Baudy P, Schulz R. Bottom-up effects of fungicides on tadpoles of the European common frog (*Rana temporaria*). *Ecol Evol.* 2021 Mar 21;11(9):4353-4365. <https://pubmed.ncbi.nlm.nih.gov/33976815/>
22. Burchfield SL, Bailey DC, Todt CE, Denney RD, Negga R, Fitsanakis VA. Acute exposure to a glyphosate-containing herbicide formulation inhibits Complex II and increases hydrogen peroxide in the model organism *Caenorhabditis elegans*. *Environ Toxicol Pharmacol.* 2019 Feb;66:36-42. <http://endsdhi.com/wp-content/uploads/2020/10/CII-Glyphosate.pdf>
23. Busch H, Potter VR. Succinate accumulation in vivo following injection of malonate. *J Biol Chem.* 1952 Sep;198(1):71-7. <https://pubmed.ncbi.nlm.nih.gov/12999717/>
24. Çelik A, Güler G, Aktaş C, Yalin S. Genotoxic action of Luna Experience-SC 400 fungicide on rat bone marrow. *Biomarkers.* 2019 Nov;24(7):720-725. <https://www.ncbi.nlm.nih.gov/pubmed/31464141>

25. **Chen X, Li W. Isoflucypram cardiovascular toxicity in zebrafish (Danio rerio). Sci Total Environ. 2021 Sep 15;787:147529 <https://pubmed.ncbi.nlm.nih.gov/33991914/>**
26. **Chen X, Qiu T, Xiao P, Li W. Retinal toxicity of isoflucypram to zebrafish (Danio rerio). Aquat Toxicol. 2022 Feb;243:106073. <https://pubmed.ncbi.nlm.nih.gov/34999466/>**
27. **Clements J, Schoville S, Clements A, Amezian D, Davis T, Sanchez-Sedillo B, Bradfield C, Huseth AS, Groves RL. Agricultural fungicides inadvertently influence the fitness of Colorado potato beetles, *Leptinotarsa decemlineata*, and their susceptibility to insecticides. Sci Rep. 2018 Sep 5;8(1):13282. <https://pubmed.ncbi.nlm.nih.gov/30185821/>**
28. **Cordes T, Wallace M, Michelucci A, Divakaruni AS, Sapcariu SC, Sousa C, Koseki H, Cabrales P, Murphy AN, Hiller K, Metallo CM. Immunoresponsive Gene 1 and Itaconate Inhibit Succinate Dehydrogenase to Modulate Intracellular Succinate Levels. J Biol Chem. 2016 Jul 1;291(27):14274-14284. <https://pubmed.ncbi.nlm.nih.gov/27189937/>**
29. **Dalla Pozza E, Dando I, Pacchiana R, Liboi E, Scupoli MT, Donadelli M, Palmieri M. Regulation of succinate dehydrogenase and role of succinate in cancer. Semin Cell Dev Biol. 2020 Feb;98:4-14. <https://pubmed.ncbi.nlm.nih.gov/31039394/>**
30. **Delp J, Cediell-Ulloa A, Suci I, Kranaster P, van Vugt-Lussenburg BM, Munic Kos V, van der Stel W, Carta G, Bennekou SH, Jennings P, van de Water B, Forsby A, Leist M. Neurotoxicity and underlying cellular changes of 21 mitochondrial respiratory chain inhibitors. Arch Toxicol. 2021 Feb;95(2):591-615. <https://pubmed.ncbi.nlm.nih.gov/33512557/>**
31. **Desaeger JA, Watson TT. Evaluation of new chemical and biological nematicides for managing *Meloidogyne javanica* in tomato production and associated double-crops in Florida. Pest Manag Sci. 2019 Dec;75(12):3363-3370. <https://pubmed.ncbi.nlm.nih.gov/31074102/>**
32. **DesJardins NS, Fisher A 2nd, Ozturk C, Fewell JH, DeGrandi-Hoffman G, Harrison JF, Smith BH. A common fungicide, Pristine®, impairs olfactory associative learning performance in honey bees (*Apis mellifera*). Environ Pollut. 2021 288:117720. <https://pubmed.ncbi.nlm.nih.gov/34252716/>**
33. **D'Hose D, Isenborghs P, Brusa D, Jordan BF, Gallez B The Short-Term Exposure to SDHI Fungicides Boscalid and Bixafen Induces a Mitochondrial Dysfunction in Selective Human Cell Lines. Molecules 2021 26, 5842 <http://endsdhi.com/wp-content/uploads/2021/09/D.dHoseetal.TheshorttermexposuretoSDHIfungicides.pdf>**

34. **Di S, Wang Z, Cang T, Xie Y, Zhao H, Qi P, Wang X, Xu H, Wang X. Enantioselective toxicity and mechanism of chiral fungicide penflufen based on experiments and computational chemistry. Ecotoxicol Environ Saf. 2021 222:112534. <https://pubmed.ncbi.nlm.nih.gov/34311429/>**
35. Dong B, Hu J. Photodegradation of the novel fungicide fluopyram in aqueous solution: kinetics, transformation products, and toxicity evolution. Environ Sci Pollut Res Int. 2016 Oct;23(19):19096-106) <https://pubmed.ncbi.nlm.nih.gov/27343079/>
36. **Dopavogui, L.; Cadoret, F.; Loison, G.; El Fouikar, S.; Frenois, F.-X.; Giton, F.; Ellero-Simatos, S.; Lasserre, F.; Polizzi, A.; Rives, C.; et al. Pre- and Postnatal Dietary Exposure to a Pesticide Cocktail Disrupts Ovarian Functions in 8-Week-Old Female Mice. Int. J. Mol. Sci. 2022, 23, 7525. <https://doi.org/10.3390/ijms23147525>**
37. Dorn A, Hammel K, Dalkmann P, Faber D, Hellpointner E, Lamshoef M, Telscher M, Bruns E, Seidel E, Hollert H. What is the actual exposure of organic compounds on Chironomus riparius? - A novel methodology enabling the depth-related analysis in sediment microcosms. Chemosphere. 2021 Sep;279:130424. <https://pubmed.ncbi.nlm.nih.gov/33887594/>
38. EFSA Dossier Isopyrazam European Food Safety Authority (EFSA), Bellisai G, Bernasconi G, Brancato A, Carrasco Cabrera L, Ferreira L, Giner G, Greco L, Jarrah S, Kazocina A, Leuschner R, Magrans JO, Miron I, Nave S, Pedersen R, Reich H, Ruocco S, Santos M, Scarlato AP, Theobald A, Vagenende B, Verani A. Review of the existing maximum residue levels for isopyrazam according to Article 12 of Regulation (EC) No 396/2005. EFSA J. 2021 Jul 20;19(7):e06684. <https://pubmed.ncbi.nlm.nih.gov/34306219/>
39. Eijkelenkamp K, Osinga TE, Links TP, van der Horst-Schrivers ANA. Clinical implications of the oncometabolite succinate in SDHx-mutation carriers. Clin Genet. 2020 Jan;97(1):39-53. <https://pubmed.ncbi.nlm.nih.gov/30977114/>
40. Elgueta S, Valenzuela M, Fuentes M, Meza P, Manzur JP, Liu S, Zhao G, Correa A. Pesticide Residues and Health Risk Assessment in Tomatoes and Lettuces from Farms of Metropolitan Region Chile. Molecules. 2020 Jan 15;25(2):355. <https://pubmed.ncbi.nlm.nih.gov/31952243/>
41. **Ernst G, Agert J, Heinemann O, Hellpointner E, Gladbach A. Realistic exposure of the fungicide bixafen in soil and its toxicity and risk to natural earthworm populations after multiyear use in cereal. Integr Environ Assess Manag. 2021 In press <https://pubmed.ncbi.nlm.nih.gov/34397149/>**

42. Fasje TR, Hurd K. Sensitivity of *Meloidogyne incognita* and *Rotylenchulus reniformis* to Fluopyram. *J Nematol.* 2015 Dec;47(4):316-21. 41. <https://pubmed.ncbi.nlm.nih.gov/26941460/>
43. Fent K, Schmid M, Hettich T, Schmid S. *The neonicotinoid thiacloprid causes transcriptional alteration of genes associated with mitochondria at environmental concentrations in honey bees.* *Environ Pollut.* 2020 Nov;266(Pt 1):115297. doi: 10.1016/j.envpol.2020.115297. Epub 2020 Aug 11. PMID: 32823041. <https://pubmed.ncbi.nlm.nih.gov/32823041/>
44. Fernández-Ortuño D, Pérez-García A, Chamorro M, de la Peña E, de Vicente A, Torés JA. Resistance to the SDHI Fungicides Boscalid, Fluopyram, Fluxapyroxad, and Penthiopyrad in *Botrytis cinerea* from Commercial Strawberry Fields in Spain. *Plant Dis.* 2017 Jul;101(7):1306-1313. <https://pubmed.ncbi.nlm.nih.gov/30682955/>
45. Fisher A 2nd, DeGrandi-Hoffman G, Smith BH, Johnson M, Kaftanoglu O, Cogley T, Fewell JH, Harrison JF. Colony field test reveals dramatically higher toxicity of a widely-used mito-toxic fungicide on honey bees (*Apis mellifera*). *Environ Pollut.* 2021 Jan 15;269:115964. <http://endsdhi.com/wp-content/uploads/2020/12/abeilles.pdf>
46. Fisher A 2nd, DeGrandi-Hoffman G, Smith BH, Ozturk C, Kaftanoglu O, Fewell JH, Harrison JF. Field cross-fostering and in vitro rearing demonstrate negative effects of both larval and adult exposure to a widely used fungicide in honey bees (*Apis mellifera*). *Ecotoxicol Environ Saf.* 2021 Jul 1;217:112251. <https://pubmed.ncbi.nlm.nih.gov/33905983/>
47. Fisher A 2nd, Cogley T, Ozturk C, DeGrandi-Hoffman G, Smith BH, Kaftanoglu O, Fewell JH, Harrison JF. The active ingredients of a mitotoxic fungicide negatively affect pollen consumption and worker survival in laboratory-reared honey bees (*Apis mellifera*). *Ecotoxicol Environ Saf.* 2021 226:112841. <https://pubmed.ncbi.nlm.nih.gov/34607189/>
48. Foucault A, Ravalet N, Besombes J, Picou F, Gallay N, Babin L, Bourgeois J, Hamard S, Domenech J, Loyer P, Vallet N, Lejeune J, Gyan E, Béné MC, Vallette F, Olivier C, Hérault O. Low-Dose Pesticides Alter Primary Human Bone Marrow Mesenchymal Stem/Stromal Cells through ALDH2 Inhibition. *Cancers (Basel).* 2021 13(22):5699 <https://pubmed.ncbi.nlm.nih.gov/34830855/>
49. Fullerton M, McFarland R, Taylor RW, Alston CL. The genetic basis of isolated mitochondrial complex II deficiency. *Mol Genet Metab.* 2020 Sep-Oct;131(1-2):53-65. <http://endsdhi.com/wp-content/uploads/2021/01/CIIpdf.pdf>

50. Geromel V., Parfait B., von Kleist-Retzow J.C., Chretien D., Munnich A., Rötig A., Rustin P. (1997) The consequences of a mild respiratory chain deficiency on substrate competitive oxidation in human mitochondria. *Biochem. Biophys. Res. Commun.* 236:643 <http://endsdhi.com/wp-content/uploads/2020/10/1997-Geromel-Biochem-Biophys-Res-Comun-97.pdf>
51. Gimenez-Roqueplon AP, Favier J, Rustin P, Mourad JJ, Plouin PF, Corvol P, Munnich A, Gasc JM, Rötig A and Jeunemaitre X. The R22X Mutation of the SDHD Gene in Hereditary Paraganglioma Suppresses Enzymatic Activity of Complex II in Mitochondrial Respiratory Chain and Induces Activation of Hypoxia Pathway. *Am J Hum Genet* 69: 1186-97 <http://endsdhi.com/wp-content/uploads/2019/05/2001-AJHG-paraganglioma.pdf>
52. Gleason J, Peng J, Proffer TJ, Slack SM, Outwater CA, Rothwell NL, Sundin GW. Resistance to Boscalid, Fluopyram and Fluxapyroxad in *Blumeriella jaapii* from Michigan (U.S.A.): Molecular Characterization and Assessment of Practical Resistance in Commercial Cherry Orchards. *Microorganisms.* 2021 Oct 21;9(11):2198 <http://endsdhi.com/wp-content/uploads/2022/02/cerises.pdf>
53. **Graillet V, Tomasetig F, Cravedi JP, Audebert M. Evidence of the in vitro genotoxicity of methyl-pyrazole pesticides in human cells. *Mutat Res.* 2012 Oct 9;748(1-2):8-16. <http://endsdhi.com/wp-content/uploads/2019/09/graillet2012.pdf>**
54. Gu C, Yang H, Chang K, Zhang B, Xie F, Ye J, Chang R, Qiu X, Wang Y, Qu Y, Wang J, Li M. Melatonin alleviates progression of uterine endometrial cancer by suppressing estrogen/ubiquitin C/SDHB-mediated succinate accumulation. *Cancer Lett.* 2020 Apr 28;476:34-47. <https://pubmed.ncbi.nlm.nih.gov/32061949/>
55. **He F, Wan J, Li X, Chu S, Sun N, Liu R. Toxic effects of benzovindiflupyr, a new SDHI-type fungicide on earthworms (*Eisenia fetida*). *Environ Sci Pollut Res Int.* 2021 Jul 2. doi: 10.1007/s11356-021-15207-4. <https://pubmed.ncbi.nlm.nih.gov/34215985/>**
56. Hobert JA, Mester JL, Moline J, Eng C. Elevated plasma succinate in PTEN, SDHB, and SDHD mutation-positive individuals. *Genet Med.* 2012 Jun;14(6):616-9. <https://pubmed.ncbi.nlm.nih.gov/22261759/>
57. Inaoka DK, Shiba T, Sato D, Balogun EO, Sasaki T, Nagahama M, Oda M, Matsuoka S, Ohmori J, Honma T, Inoue M, Kita K, Harada S. Structural Insights into the Molecular Design of Flutolanil Derivatives Targeted for Fumarate Respiration of Parasite Mitochondria. *Int J Mol Sci.* 2015 Jul 7;16(7):15287-308. <http://endsdhi.com/wp-content/uploads/2020/10/ijms-16-15287.pdf>

58. Janeway KA, Young Kim S, Lodish M, Nose V, Rustin P, Gaal J, Dahia P, Liegi B, Ball ER, Raygada M, Lai A, Kelly L, Hornick J, O'Sullivan M, de Krijger RR, Dinjens WN, Demetri GD, Antonescu C, Fletcher JA, Helman L, Stratakis CA. 2011 Defects in succinate dehydrogenase in gastrointestinal stromal tumors without KIT and PDGFRA mutations. *Proc Natl Acad Sci* 108, 314-318 <http://endsdhi.com/wp-content/uploads/2020/10/2011-Janeway-PNAS-11.pdf>
59. Jardim-Messeder D, Caverzan A, Rauber R, de Souza Ferreira E, Margis-Pinheiro M, Galina A. Succinate dehydrogenase (mitochondrial complex II) is a source of reactive oxygen species in plants and regulates development and stress responses. *New Phytol.* 2015 Nov;208(3):776-89. http://endsdhi.com/wp-content/uploads/2020/12/Succinate_dehydrogenase_mitochondrial_co.pdf
60. **Kamp (BASF) H, Wahrheit J, Stinchcombe S, Walk T, Stauber F, Ravenzwaay BV. Succinate dehydrogenase inhibitors: in silico flux analysis and in vivo metabolomics investigations show no severe metabolic consequences for rats and humans. *Food Chem Toxicol.* 2021 Apr;150:112085. http://endsdhi.com/wp-content/uploads/2021/04/B_Notre_réponse_ : <http://endsdhi.com/wp-content/uploads/2021/05/Rapide-analyse.pdf> Et sur Reseach Gate : <http://endsdhi.com/wp-content/uploads/2021/05/A-quick-look-at-the-2021.pdf>**
61. Kotarsky H, Keller M, Davoudi M, Levéen P, Karikoski R, Enot DP, Fellman V. Metabolite profiles reveal energy failure and impaired beta-oxidation in liver of mice with complex III deficiency due to a BCS1L mutation. *PLoS One.* 2012;7(7):e41156. <https://pubmed.ncbi.nlm.nih.gov/22829922/>
62. Lafon PA, Wang Y, Arango-Lievano M, Torrent J, Salvador-Prince L, Mansuy M, Mestre-Francès N, Givalois L, Liu J, Mercader JV, Jeanneteau F, Desrumaux C, Perrier V. Fungicide Residues Exposure and β -amyloid Aggregation in a Mouse Model of Alzheimer's Disease. *Environ Health Perspect.* 2020 Jan;128(1):17011 <https://ehp.niehs.nih.gov/doi/10.1289/EHP5550>
63. Lebrun JD, De Jesus K, Tournebize J. Individual performances and biochemical pathways as altered by field-realistic exposures of current-use fungicides and their mixtures in a non-target species, *Gammarus fossarum*. *Chemosphere.* 2021 Aug;277:130277. <https://pubmed.ncbi.nlm.nih.gov/33774253/>
64. Le Cor F, Slaby S, Dufour V, Iuretig A, Feidt C, Dauchy X, Banas D. Occurrence of pesticides and their transformation products in headwater streams: Contamination status and effect of ponds on contaminant concentrations. *Sci Total Environ.* 2021 788:147715. <http://endsdhi.com/wp-content/uploads/2021/08/headwater.pdf>

65. Lendvai N, Pawlosky R, Bullova P, Eisenhofer G, Patocs A, Veech RL, Pacak K. Succinate-to-fumarate ratio as a new metabolic marker to detect the presence of SDHB/D-related paraganglioma: initial experimental and ex vivo findings. *Endocrinology*. 2014 Jan;155(1):27-32. <https://pubmed.ncbi.nlm.nih.gov/24189137/>
66. Letouze E, Martinelli C, Lorient C, Burnichon N, Abermil N, Ottolenghi C, Janin M, Nguyen T, Benit P, Bertherat J, Amar L, Rustin P, De Reynies A, Gimenez-Roqueplo AP, Favier J. 2013 SDH mutations establish a hypermethylator phenotype in paraganglioma. *Cancer Cell* 23:739-5228. <http://endsdhi.com/wp-content/uploads/2019/05/2013-Letouze-Cancer-Cell-13.pdf>
67. Li C, Yuan S, Jiang F, Xie Y, Guo Y, Yu H, Cheng Y, Qian H, Yao W. Degradation of fluopyram in water under ozone enhanced microbubbles: Kinetics, degradation products, reaction mechanism, and toxicity evaluation. *Chemosphere*. 2020 Nov;258:127216. <https://www.sciencedirect.com/science/article/abs/pii/S0045653520314090>
68. Li D, Liu M, Yang Y, Shi H, Zhou J, He D. Strong lethality and teratogenicity of strobilurins on *Xenopus tropicalis* embryos: Basing on ten agricultural fungicides. *Environ Pollut*. 2016 Jan;208(Pt B):868-74. <http://endsdhi.com/wp-content/uploads/2020/02/sdhi-stroby-xenopus.pdf>
- 69. Li W, Wu Y, Yuan M, Liu X. Fluxapyroxad induces developmental delay in zebrafish (*Danio rerio*). *Chemosphere*. 2020 Oct;256:127037. <https://pubmed.ncbi.nlm.nih.gov/32434089/>**
- 70. Li W, Yuan M, Wu Y, Liu X. Bixafen exposure induces developmental toxicity in zebrafish (*Danio rerio*) embryos. *Environ Res*. 2020 Oct;189:109923. <https://www.sciencedirect.com/science/article/abs/pii/S0013935120308185>**
71. **Lin H, Lin F, Yuan J, Cui F, Chen J. Toxic effects and potential mechanisms of Fluxapyroxad to zebrafish (*Danio rerio*) embryos. *Sci Total Environ*. 2021 May 15;769:144519. <https://pubmed.ncbi.nlm.nih.gov/33482547/>**
72. Loublier, S, Schiff M, Bénit P, Rustin P. Les maladies mitochondriales : Une médecine à part ? *Immunoanalyse et Biologie Spécialisée* 24, 240-253 <http://endsdhi.com/wp-content/uploads/2019/05/2009-Loublier-IMMBIO-09.pdf>
73. Lukowicz C, Ellero-Simatos S, Régnier M, Polizzi A, Lasserre F, Montagner A, Lippi Y, Jamin EL, Martin JF, Naylies C, Canlet C, Debrauwer L, Bertrand-Michel J, Al Saati T, Théodorou V, Loiseau N, Mselli-Lakhal L, Guillou H, Gamet-Payrastre L. Metabolic Effects of a Chronic Dietary Exposure to a Low-Dose Pesticide Cocktail in Mice: Sexual Dimorphism

- and Role of the Constitutive Androstane Receptor. *Environ Health Perspect.* 2018 Jun 25;126(6):067007. <http://endsdhi.com/wp-content/uploads/2019/09/EHP28772.pdf>
74. Lussey-Lepoutre C, Bellucci A, Burnichon N, Amar L, Buffet A, Drossart T, Fontaine S, Clement O, Benit P, Rustin P, Groussin L, Meatchi T, Gimenez-Roqueplo AP, Tavitian B, Favier J. Succinate detection using in vivo 1H-MR spectroscopy identifies germline and somatic SDHx mutations in paragangliomas. *Eur J Nucl Med Mol Imaging.* 2020 Jun;47(6):1510-1517. <https://pubmed.ncbi.nlm.nih.gov/31834447/>
75. Lussey-Lepoutre C, Bellucci A, Morin A, Buffet A, Amar L, Janin M, Ottolenghi C, Zinzindohoué F, Autret G, Burnichon N, Robidel E, Banting B, Fontaine S, Benit P, Rustin P, Halimi P, Fournier L, Gimenez-Roqueplo A-P, Favier J, Tavitian B. 2015 In vivo detection of succinate by magnetic resonance spectroscopy as a hallmark of SDHx mutations in paraganglioma. *Clin Cancer Res* 2016 Mar 1;22(5):1120-9 <http://endsdhi.com/wp-content/uploads/2022/06/2016-Lussey-Lepoutre-Clin-Cancer-Res-15.pdf>
76. Malandrakis AA, Vattis KN, Markoglou AN, Karaoglanidis GS. Characterization of boscalid-resistance conferring mutations in the SdhB subunit of respiratory complex II and impact on fitness and mycotoxin production in *Penicillium expansum* laboratory strains. *Pestic Biochem Physiol.* 2017 May;138:97-103. <https://pubmed.ncbi.nlm.nih.gov/28456312/>
77. Malińska D, Więckowski MR, Michalska B, Drabik K, Prill M, Patalas-Krawczyk P, Walczak J, Szymański J, Mathis C, Van der Toorn M, Luettich K, Hoeng J, Peitsch MC, Duszyński J, Szczepanowska J. Mitochondria as a possible target for nicotine action. *J Bioenerg Biomembr.* 2019 Aug;51(4):259-276. <http://endsdhi.com/wp-content/uploads/2021/04/nicotine.pdf>
78. **Matsumoto K, Hosokawa M, Kuroda K, Endo G. Toxicity of agricultural chemicals in *Daphnia magna*. *Osaka City Med J.* 2009 Dec;55(2):89-97. <https://dliisv03.media.osaka-cu.ac.jp/contents/osakacu/journal/00306096-55-2-89.pdf>**
79. Merryman M, Crigler J, Seipelt-Thiemann R, McClelland E. A mutation in *C. neoformans* mitochondrial NADH dehydrogenase results in increased virulence in mice. *Virulence.* 2020 Dec;11(1):1366-1378. <https://pubmed.ncbi.nlm.nih.gov/33103620/>
80. Mesnage R, Defarge N, Spiroux de Vendômois J, Séralini GE. Major pesticides are more toxic to human cells than their declared active principles. *Biomed Res Int.* 2014 2014:179691. <https://pubmed.ncbi.nlm.nih.gov/24719846/>
81. Montani M, Schmitt AM, Schmid S, Locher T, Saremaslani P, Heitz PU, Komminoth P, Perren A. No mutations but an increased frequency of SDHx polymorphisms in patients with sporadic

- and familial medullary thyroid carcinoma. *Endocr Relat Cancer*. 2005 Dec;12(4):1011-6. <http://endsdhi.com/wp-content/uploads/2021/08/sdhx-polym.pdf>
82. Moog S, Favier J. *Rôle de la succinate déshydrogénase dans le cancer [Succinate dehydrogenase in cancer]*. *Med Sci (Paris)*. 2022 Mar;38(3):255-262. French. doi: 10.1051/medsci/2022024. Epub 2022 Mar 25. PMID: 35333162. https://www.medecinesciences.org/fr/articles/medsci/full_html/2022/03/msc200647/msc200647.html
83. Mosbach A, Edel D, Farmer AD, Widdison S, Barchietto T, Dietrich RA, Corran A, Scalliet G. Anilinopyrimidine Resistance in *Botrytis cinerea* Is Linked to Mitochondrial Function. *Front Microbiol*. 2017 Nov 30;8:2361. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5714876/pdf/fmicb-08-02361.pdf>
84. Mourtzinis S, Krupke CH, Esker PD, Varenhorst A, Arneson NJ, Bradley CA, Byrne AM, Chilvers MI, Giesler LJ, Herbert A, Kandel YR, Kazula MJ, Hunt C, Lindsey LE, Malone S, Mueller DS, Naeve S, Nafziger E, Reising DD, Ross WJ, Rossman DR, Taylor S, Conley SP. Neonicotinoid seed treatments of soybean provide negligible benefits to US farmers. *Sci Rep*. 2019 Sep 9;9(1):11207. <http://endsdhi.com/wp-content/uploads/2020/02/Neonic.pdf>
85. Mowery PC, Ackrell BA, Singer TP. Carboxins: powerful selective inhibitors of succinate oxidation in animal tissues. *Biochem Biophys Res Commun*. 1976 Jul 12;71(1):354-61. <http://endsdhi.com/wp-content/uploads/2019/09/carboxin.pdf>
86. Naeem H, Ahmad KS. **Fungal and bacterial assisted bioremediation of environmental toxicant (N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl] ethyl]-2-(trifluoromethyl) benzamide) holding benzamidic genesis elucidating the eco-friendly strategy.** *J Basic Microbiol*. 2022 Apr 13. <https://pubmed.ncbi.nlm.nih.gov/35417042/>
87. **Nickisch Born Gericke D, Rall B, Singer A, Ashauer R. Fish Species Sensitivity Ranking Depends on Pesticide Exposure Profiles.** *Environ Toxicol Chem*. 2022 Apr 22. <https://pubmed.ncbi.nlm.nih.gov/35452530/>
88. Nikoloff N, Escobar L, Soloneski S, Larramendy ML. Comparative study of cytotoxic and genotoxic effects induced by herbicide S-metolachlor and its commercial formulation Twin Pack Gold® in human hepatoma (HepG2) cells. *Food Chem Toxicol*. 2013 Dec;62:777- 81. <https://pubmed.ncbi.nlm.nih.gov/24144947/>
89. Oh YJ, Jung YJ, Kang JW, Yoo YS. Investigation of the estrogenic activities of pesticides from Pal-dang reservoir by in vitro assay. *Sci Total Environ*. 2007 Dec 15;388(1-3):8-15. doi:

10.1016/j.scitotenv.2007.07.013. Epub 2007 Sep 27. PMID: 17904202.
<https://pubmed.ncbi.nlm.nih.gov/17904202/>

90. Ohlenbusch A, Edvardson S, Skorpen J, Bjornstad A, Saada A, Elpeleg O, Gärtner J, Brockmann K. Leukoencephalopathy with accumulated succinate is indicative of SDHAF1 related complex II deficiency. *Orphanet J Rare Dis.* 2012 Sep 20;7:69.
<https://pubmed.ncbi.nlm.nih.gov/22995659/>
91. Özgöçmen M, Toğay A. The Effect of Different Doses of Fluopyram on the Kidney Tissues of Mice. *Erzincan University Journal of Science and Technology* 2021, 14(3), 970-978
<http://endsdhi.com/wp-content/uploads/2022/06/Fluopyram-bbrekYayn.pdf>
92. Parfait B, Chretien D, Rötig A, Marsac C, Munnich A, Rustin P. Compound heterozygous mutations in the flavoprotein gene of the respiratory chain complex II in a patient with Leigh syndrome. *Hum Genet.* 2000 Feb;106(2):236-43. <http://endsdhi.com/wp-content/uploads/2020/10/2000-Parfait-SDH-Hum-Genet-00.pdf>
93. Pasini B, McWhinney SR, Bei T, Matyakhina L, Stergiopoulos S, Muchow M, Boikos SA, Ferrando B, Pacak K, Assie G, Baudin E, Chompert A, Ellison JW, Briere JJ, Rustin P, Gimenez-Roqueplo AP, Eng C, Carney JA, Stratakis CA. Clinical and molecular genetics of patients with the Carney-Stratakis syndrome and germline mutations of the genes coding for the succinate dehydrogenase subunits SDHB, SDHC, and SDHD. *Eur J Hum Genet.* 2008 Jan;16(1):79-88. <http://endsdhi.com/wp-content/uploads/2020/10/2008-Pasini-Eur-J-Hum-Genet-08.pdf>
94. Peillex C, Pelletier M. The impact and toxicity of glyphosate and glyphosate-based herbicides on health and immunity. *J Immunotoxicol.* 2020 Dec;17(1):163-174. <http://endsdhi.com/wp-content/uploads/2020/10/The-impact-and-toxicity-of-glyphosate-and-glyphosate-based-herbicides-on-health-and-immunity.pdf>
95. Pekny JE, Smith PB, Marden JH. Enzyme polymorphism, oxygen and injury: a lipidomic analysis of flight-induced oxidative damage in a succinate dehydrogenase d (Sdhd)-polymorphic insect. *J Exp Biol.* 2018 Mar 23;221(Pt 6):jeb171009. <http://endsdhi.com/wp-content/uploads/2021/08/papillon.pdf>
96. Péliissié B, Chen YH, Cohen ZP, Crossley MS, Hawthorne DJ, Izzo V, Schoville SD. Genome Resequencing Reveals Rapid, Repeated Evolution in the Colorado Potato Beetle. *Mol Biol Evol.* 2022 Feb 3;39(2) <https://pubmed.ncbi.nlm.nih.gov/35044459/>

97. Pelosi C, Bertrand C, Daniele G, Coeurdassier M, Benoit P, N'elieu S, Lafay F, Bretagnolle V, Gaba S, Vulliet E, Fritsch C. Residues of currently used pesticides in soils and earthworms: A silent threat? *Agriculture, Ecosystems and Environment* 305 2021 <http://endsdhi.com/wp-content/uploads/2021/04/neo-sdhi-dans-le-sol-et-vers-de-terre.pdf>
98. Piechowicz B, Szpyrka E, Zaręba L, Podbielska M, Grodzicki P. *Transfer of the Active Ingredients of Some Plant Protection Products from Raspberry Plants to Beehives*. *Arch Environ Contam Toxicol*. 2018 Jul;75(1):45-58. doi: 10.1007/s00244-017-0488-4. Epub 2017 Dec 15. PMID: 29247388; PMCID: PMC5988780. <https://pubmed.ncbi.nlm.nih.gov/29247388/>
99. Pereira SP, Fernandes MA, Martins JD, Santos MS, Moreno AJ, Vicente JA, Videira RA, Jurado AS. Toxicity assessment of the herbicide metolachlor comparative effects on bacterial and mitochondrial model systems. *Toxicol In Vitro*. 2009 Dec;23(8):1585-90. <https://pubmed.ncbi.nlm.nih.gov/19607910/>
100. Plummer SM, Wright J, Currie RA. Dose-dependent effects on rat liver miRNAs 200a/b and 429: potential early biomarkers of liver carcinogenesis. *Toxicology Reports*, 2018, 5:309-313 <https://www.sciencedirect.com/science/article/pii/S2214750018300842>
101. Pollard PJ, Brière JJ, Alam NA, Barwell J, Barclay E, Wortham NC, Hunt T, Mitchell M, Olpin S, Moat SJ, Hargreaves IP, Heales SJ, Chung YL, Griffiths JR, Dalgleish A, McGrath JA, Gleeson MJ, Hodgson SV, Poulson R, Rustin P, Tomlinson IP. Accumulation of Krebs cycle intermediates and over-expression of HIF1alpha in tumours which result from germline FH and SDH mutations. *Hum Mol Genet*. 2005 Aug 1;14(15):2231-9. <http://endsdhi.com/wp-content/uploads/2020/10/2005-Pollard-Hum-Mol-Genet-05.pdf>
102. Qian L, Cui F, Yang Y, Liu Y, Qi S, Wang C. Mechanisms of developmental toxicity in zebrafish embryos (*Danio rerio*) induced by boscalid. *Sci Total Environ*. 2018 Sep 1;634:478-487 <https://pubmed.ncbi.nlm.nih.gov/29631138/>
103. Qian L, Qi S, Cao F, Zhang J, Li C, Song M, Wang C. Effects of penthiopyrad on the development and behaviour of zebrafish in early-life stages. *Chemosphere*. 2019 Jan;214:184-194. <https://www.ncbi.nlm.nih.gov/pubmed/30265925>
104. Qian L, Qi S, Cao F, Zhang J, Zhao F, Li C, Wang C. Toxic effects of boscalid on the growth, photosynthesis, antioxidant system and metabolism of *Chlorella vulgaris*. *Environ Pollut*. 2018 Nov;242(Pt A):171-181. <https://www.sciencedirect.com/science/article/pii/S0269749118342337?via%3Dihub>

105. Qian L, Zhang J, Chen X, Qi S, Wu P, Wang C, Wang C. Toxic effects of boscalid in adult zebrafish (*Danio rerio*) on carbohydrate and lipid metabolism. *Environ Pollut.* 2019 Apr;247:775-782. <https://www.ncbi.nlm.nih.gov/pubmed/29631138>
106. Qian L, Qi S, Wang Z, Magnuson JT, Volz DC, Schlenk D, Jiang J, Wang C. Environmentally relevant concentrations of boscalid exposure affects the neurobehavioral response of zebrafish by disrupting visual and nervous systems. *J Hazard Mater.* 2021 Feb 15;404(Pt A):124083. <https://pubmed.ncbi.nlm.nih.gov/33011634/>
107. Qiu T, Chen X, Xiao P, Wang L, Li W. Effects of embryonic exposure to fluxapyroxad on zebrafish (*Danio rerio*) ocular development. *Pestic Biochem Physiol.* 2022 Feb;181:105018. <https://pubmed.ncbi.nlm.nih.gov/35082041/>
108. Ragab EM, El Gamal DM, Mohamed TM, Khamis AA. Study of the inhibitory effects of chrysin and its nanoparticles on mitochondrial complex II subunit activities in normal mouse liver and human fibroblasts. *J Genet Eng Biotechnol.* 2022 Jan 28;20(1):15. doi: 10.1186/s43141-021-00286-0. PMID: 35089446; PMCID: PMC8795958. <https://pubmed.ncbi.nlm.nih.gov/35089446/>
109. Rathod PH, Shah PG, Parmar KD, Kalasariya R. The fate of Fluopyram in the soil-water-plant ecosystem: A review. *Reviews of Environmental Contamination and Toxicology.* 2022, 260:1 <http://endsdhi.com/wp-content/uploads/2022/05/contamination-fluopyram.pdf>
110. Reilly TJ, Smalling KL, Orlando JL, Kuivila KM. Occurrence of boscalid and other selected fungicides in surface water and groundwater in three targeted use areas in the United States. *Chemosphere.* 2012 Sep;89(3):228-34. <https://pubmed.ncbi.nlm.nih.gov/22564453/>
111. Ren Y, Yang N, Yue Y, Jin H, Tao K, Hou T. Investigation of novel pyrazole carboxamides as new apoptosis inducers on neuronal cells in *Helicoverpa zea*. *Bioorg Med Chem.* 2018 May 15;26(9):2280-2286. <http://endsdhi.com/wp-content/uploads/2019/09/helicoverpa.pdf>
112. Rohr JR, Brown J, Battaglin WA, McMahon TA, Relyea RA. A pesticide paradox: fungicides indirectly increase fungal infections. *Ecol Appl.* 2017 Dec;27(8):2290-2302. doi: 10.1002/eap.1607. Epub 2017 Sep 29 <https://pubmed.ncbi.nlm.nih.gov/28763165/>
113. **Rouquié D, Tinwell H, Blanck O, Schorsch F, Geter D, Wason S, Bars R. Thyroid tumor formation in the male mouse induced by fluopyram is mediated by activation of hepatic CAR/PXR nuclear receptors. *Regul Toxicol Pharmacol.* 2014 Dec;70(3):673-80 <https://www.ncbi.nlm.nih.gov/pubmed/25455223>**

114. Sanchez-Bayo F, Wyckhuys K.A.G. Worldwide decline of the entomofauna: A review of its drivers. 2019 *Biological Conservation* 232:8-27 <http://endsdhi.com/wp-content/uploads/2022/07/Sanchez-Bayo-Wyckhuys-2019.pdf>
115. Selak MA, Armour SM, MacKenzie ED, Boulahbel H, Watson DG, Mansfield KD, Pan Y, Simon MC, Thompson CB, Gottlieb E. Succinate links TCA cycle dysfunction to oncogenesis by inhibiting HIF-alpha prolyl hydroxylase. *Cancer Cell*. 2005 Jan;7(1):77- 85. <https://pubmed.ncbi.nlm.nih.gov/15652751/>
116. Sgolastra F, Medrzycki P, Bortolotti L, Maini S, Porrini C, Simon-Delso N, Bosch J. Bees and pesticide regulation: Lessons from the neonicotinoid experience. 2020 *Biological Conservation* 241:108356 <http://endsdhi.com/wp-content/uploads/2021/04/Sgolastraetal.2020BiolCons-1-bee-neoRA.pdf>
117. Shi JH, Lou YY, Zhou KL, Pan DQ. Probing the behavior of calf thymus DNA upon binding to a carboxamide fungicide boscalid: insights from spectroscopic and molecular docking approaches. *J Biomol Struct Dyn*. 2018 Aug;36(10):2738-2745. doi: 10.1080/07391102.2017.1365012. Epub 2017 Aug 20. PMID: 28782452. <https://pubmed.ncbi.nlm.nih.gov/28782452/>
118. **Simon-Delso N, San Martin G, Bruneau E, Hautier L. Time-to-death approach to reveal chronic and cumulative toxicity of a fungicide for honeybees not revealed with the standard ten-day test. *Sci Rep*. 2018 May 8;8(1):7241. <http://endsdhi.com/wp-content/uploads/2019/05/Durée-tests-abeilles.pdf>**
119. Slaby S, Le Cor F, Dufour V, Auger L, Pasquini L, Cardoso O, Curtet L, Baudoin JM, Wiest L, Vulliet E, Feidt C, Dauchy X, Banas D. Distribution of pesticides and some of their transformation products in a small lentic waterbody: Fish, water, and sediment contamination in an agricultural watershed. *Environ Pollut*. 2022 Jan 1;292(Pt B):118403. <https://pubmed.ncbi.nlm.nih.gov/34020090/>
120. Smalling KL, Hladik ML, Sanders CJ, Kuivila KM. Leaching and sorption of neonicotinoid insecticides and fungicides from seed coatings. *J Environ Sci Health B*. 2018 Mar 4;53(3):176-183. <https://pubmed.ncbi.nlm.nih.gov/29286873/>
121. **Smith L, Klément W, Dopavogui L, de Bock F, Lasserre F, Barretto S, Lukowicz C, Fougerat A, Polizzi A, Schaal B, Patris B, Denis C, Feuillet G, Canlet C, Jamin EL, Debrauwer L, Mselli-Lakhal L, Loiseau N, Guillou H, Marchi N, Ellero-Simatos S, Gamet-Payraastre L. Perinatal exposure to a dietary pesticide cocktail does not increase susceptibility to high-fat diet-induced metabolic perturbations at adulthood but modifies**

- urinary and fecal metabolic fingerprints in C57Bl6/J mice. *Environ Int.* 2020 Nov;144:106010. <https://www.sciencedirect.com/science/article/pii/S0160412020319656>
122. Ece Solmaz A, Pariltay E, Talim B, Onay H. A novel bi-allelic variant in the *SDHB* gene causes a severe mitochondrial complex II deficiency: a case report. *Clin Neurol Neurosurg.* 2022 Jan;212:107039. doi: 10.1016/j.clineuro.2021.107039. Epub 2021 Nov 20. PMID: 34839152. <https://pubmed.ncbi.nlm.nih.gov/34839152/>
123. Steffan SA, Dharampal PS, Diaz-Garcia L, Currie CR, Zalapa J, Hittinger CT. Empirical, Metagenomic, and Computational Techniques Illuminate the Mechanisms by which Fungicides Compromise Bee Health. *J Vis Exp.* 2017 Oct 9;(128):54631 <https://pubmed.ncbi.nlm.nih.gov/29053686/>
124. Syromyatnikov MY, Gureev AP, Starkova NN, Savinkova OV, Starkov AA, Lopatin AV, Popov VN. Method for detection of mtDNA damages for evaluating of pesticides toxicity for bumblebees (*Bombus terrestris* L.). *Pestic Biochem Physiol.* 2020 Oct;169:104675. doi: 10.1016/j.pestbp.2020.104675. Epub 2020 Aug 5. PMID: 32828362. <http://endsdhi.com/wp-content/uploads/2021/11/adn-mt.pdf>
125. Szeto SSW, Reinke SN, Sykes BD, Lemire BD. Ubiquinone-binding site mutations in the *Saccharomyces cerevisiae* succinate dehydrogenase generate superoxide and lead to the accumulation of succinate. *J Biol Chem.* 2007 Sep 14;282(37):27518-27526. <https://pubmed.ncbi.nlm.nih.gov/17636259/>
126. Teng M, Wang C, Song M, Chen X, Zhang J, Wang C. Chronic exposure of zebrafish (*Danio rerio*) to flutolanil leads to endocrine disruption and reproductive disorders. *Environ Res.* 2020 May;184:109310. <https://pubmed.ncbi.nlm.nih.gov/32163770/>
127. Teng M, Zhou Y, Song M, Dong K, Chen X, Wang C, Bi S, Zhu W. Chronic Toxic Effects of Flutolanil on the Liver of Zebrafish (*Danio rerio*). *Chem Res Toxicol.* 2019 Jun 17;32(6):995-1001. <https://pubmed.ncbi.nlm.nih.gov/30942079/>
128. Teng M, Zhu W, Wang D, Yan J, Qi S, Song M, Wang C. Acute exposure of zebrafish embryo (*Danio rerio*) to flutolanil reveals its developmental mechanism of toxicity via disrupting the thyroid system and metabolism. *Environ Pollut.* 2018 Nov;242(Pt B):1157-1165. <https://pubmed.ncbi.nlm.nih.gov/30114598/>
129. Tennekes HA. Dose: Time-to-effect analysis can identify hazardous chemicals at an early stage of product Development. 2017 *Environ Risk Assess Remediat* 1:65-70

<http://endsdhi.com/wp-content/uploads/2020/01/HA-Tennekes-Environ-Risk-Ass-Remediat-2017.pdf>

130. Tennekes HA. The importance of dose-time-response relationships for hazard identification and limitation in animal experiments 2017 Open Acc J of Toxicol 1:1-4 <http://endsdhi.com/wp-content/uploads/2020/01/Tennekes-HA-2017-Open-Access-J-Toxicology.pdf>
131. **Tinwell H, Bars R. Isoflucypram: Combining in vivo and NAMs data in a weight of evidence approach to demonstrate the human non-relevance of the mode of action leading to the subtle thyroid effects observed in the rat. Regul Toxicol Pharmacol. 2022 Jun;131:105154. PMID: 35276315. <https://pubmed.ncbi.nlm.nih.gov/35276315/>**
132. **Tinwell H, Rouquié D, Schorsch F, Geter D, Wason S, Bars R. Liver tumor formation in female rat induced by fluopyram is mediated by CAR/PXR nuclear receptor activation. Regul Toxicol Pharmacol. 2014 Dec;70(3):648-58. <https://www.ncbi.nlm.nih.gov/pubmed/25305127>**
133. Topping CJ, Aldrich A, Berny P. Overhaul environmental risk assessment for pesticides. Science. 2020 Jan 24;367(6476):360-363. <https://science.sciencemag.org/content/367/6476/360>
134. Turnbull D.M., Rustin P. 2015. Genetic and biochemical intricacy shapes mitochondrial cytopathies. Neurobiol Dis 2016 Aug;92(Pt A):55-63 <http://endsdhi.com/wp-content/uploads/2019/05/2015-Turnbull-Neurobiol-Dis-15.pdf>
135. **van der Stel W, Carta G, Eakins J, Darici S, Delp J, Forsby A, Bennekou SH, Gardner I, Leist M, Danen EHJ, Walker P, van de Water B, Jennings P. Multiparametric assessment of mitochondrial respiratory inhibition in HepG2 and RPTEC/TERT1 cells using a panel of mitochondrial targeting agrochemicals. Arch Toxicol. 2020 94:2707-2729. <https://pubmed.ncbi.nlm.nih.gov/32607615/>**
136. Vázquez-Manrique RP, González-Cabo P, Ros S, Aziz H, Baylis HA, Palau F. Reduction of Caenorhabditis elegans frataxin increases sensitivity to oxidative stress, reduces lifespan, and causes lethality in a mitochondrial complex II mutant. FASEB J. 2006 Jan;20(1):172-4 <https://pubmed.ncbi.nlm.nih.gov/16293572/>
137. **Villa S, Di Nica V, Pescatore T, Bellamoli F, Miari F, Finizio A, Lencioni V. Comparison of the behavioural effects of pharmaceuticals and pesticides on Diamesa zernyi larvae (Chironomidae). Environ Pollut. 2018 Jul;238:130-139. <https://pubmed.ncbi.nlm.nih.gov/29554561/>**

138. VKM (Panel on Plant Protection Products of the Norwegian Scientific Committee for Food Safety). Risk assessment of the metabolite M44 of bixafen, one of the active substances in A viator X pro EC 225VKM Report 2015 https://ntnuopen.ntnu.no/ntnu-xmlui/bitstream/handle/11250/2463062/Lyche_2015_Ris.pdf?sequence=2&isAllowed=y
139. Wang H, Meng Z, Liu F, Zhou L, Su M, Meng Y, Zhang S, Liao X, Cao Z, Lu H. Characterization of boscalid-induced oxidative stress and neurodevelopmental toxicity in zebrafish embryos. *Chemosphere*. 2020 Jan;238:124753. <https://www.ncbi.nlm.nih.gov/pubmed/31545217>
140. Wang J, Liu X, Zhang X, Du S, Han X, Li JQ, Xiao Y, Xu Z, Wu Q, Xu L, Qin Z. Fungicidal Action of the Triphenylphosphonium-Driven Succinate Dehydrogenase Inhibitors Is Mediated by Reactive Oxygen Species and Suggests an Effective Resistance Management Strategy. *J Agric Food Chem*. 2022 Jan 12;70(1):111-123. doi: 10.1021/acs.jafc.1c05784. Epub 2021 Dec 8. PMID: 34878279. <https://pubmed.ncbi.nlm.nih.gov/34878279/>
141. Watson T, Noling J, Desaegeer J. Fluoropyram as a rescue nematicide for managing sting nematode (*Belonolaimus longicaudatus*) on commercial strawberry in Florida. *Crop Protection* 2020 (in press) <http://endsdhi.com/wp-content/uploads/2021/08/fluopyram-fraise.pdf>
142. Weber A, Klocker H, Oberacher H, Gnaiger E, Neuwirt H, Sampson N, Eder IE. Succinate Accumulation Is Associated with a Shift of Mitochondrial Respiratory Control and HIF-1 α Upregulation in PTEN Negative Prostate Cancer Cells. *Int J Mol Sci*. 2018 Jul 21;19(7):2129. <https://pubmed.ncbi.nlm.nih.gov/30037119/>
143. Wijermars LG, Schaapherder AF, Kostidis S, Wüst RC, Lindeman JH. Succinate Accumulation and Ischemia-Reperfusion Injury: Of Mice but Not Men, a Study in Renal Ischemia-Reperfusion. *Am J Transplant*. 2016 Sep;16(9):2741-6. <http://endsdhi.com/wp-content/uploads/2021/04/homme-souris.pdf>
144. Wu S, Lei L, Liu M, Song Y, Lu S, Li D, Shi H, Raley-Susman KM, He D. Single and mixture toxicity of strobilurin and SDHI fungicides to *Xenopus tropicalis* embryos. *Ecotoxicol Environ Saf*. 2018 May 30;153:8-15 <https://www.ncbi.nlm.nih.gov/pubmed/29407742>
145. Xiao P, Li W, Lu J, Liu Y, Luo Q, Zhang H. Effects of embryonic exposure to bixafen on zebrafish (*Danio rerio*) retinal development. *Ecotoxicol Environ Saf*. 2021 Nov 20;228:113007 <https://pubmed.ncbi.nlm.nih.gov/34808508/>

146. Xiao M, Yang H, Xu W, Ma S, Lin H, Zhu H, Liu L, Liu Y, Yang C, Xu Y, Zhao S, Ye D, Xiong Y, Guan KL. Inhibition of α -KG-dependent histone and DNA demethylases by fumarate and succinate that are accumulated in mutations of FH and SDH tumor suppressors. *Genes Dev.* 2012 Jun 15;26(12):1326-38. <https://pubmed.ncbi.nlm.nih.gov/22677546/>
147. Xiao P, Liu X, Zhang H, Li W. Chronic toxic effects of isoflucypram on reproduction and intestinal energy metabolism in zebrafish (*Danio rerio*). *Environ Pollut.* 2022 Oct 22:120479. doi: 10.1016/j.envpol.2022.120479. Epub ahead of print. PMID: 36283474. <https://pubmed.ncbi.nlm.nih.gov/36283474/>
148. Yang Y, Dong F, Liu X, Xu J, Wu X, Qi S, Liu W, Zheng Y. Thifluzamide affects lipid metabolism in zebrafish (*Danio reio*). *Sci Total Environ.* 2018 Aug 15;633:1227-1236. <https://www.sciencedirect.com/science/article/pii/S0048969718310623>
149. Yang Y, Dong F, Liu X, Xu J, Wu X, Zheng Y. Dysregulation of circadian rhythm in zebrafish (*Danio rerio*) by thifluzamide: Involvement of positive and negative regulators. *Chemosphere.* 2019 Nov;235:280-287. <https://www.sciencedirect.com/science/article/pii/S0045653519313943?via%3Dihub>
150. Yang Y, Dong F, Liu X, Xu J, Wu X, Zheng Y. Flutolanil affects circadian rhythm in zebrafish (*Danio rerio*) by disrupting the positive regulators. *Chemosphere.* 2019 Aug;228:649-655. <https://pubmed.ncbi.nlm.nih.gov/31063912/>
151. Yang Y, Qi S, Wang D, Wang K, Zhu L, Chai T, Wang C. Toxic effects of thifluzamide on zebrafish (*Danio rerio*). *J Hazard Mater.* 2016 Apr 15;307:127-36. <https://pubmed.ncbi.nlm.nih.gov/26780700/>
152. Yang Y, Qi S, Chen J, Liu Y, Teng M, Wang C. Toxic Effects of Bromothalonil and Flutolanil on Multiple Developmental Stages in Zebrafish. *Bull Environ Contam Toxicol.* 2016 Jul;97(1):91-7. doi: 10.1007/s00128-016-1833-4. Epub 2016 May 21. PMID: 27209543. <https://pubmed.ncbi.nlm.nih.gov/27209543/>
153. Yang Y, Dong F, Liu X, Xu J, Wu X, Zheng Y. Thifluzamide induces the toxic effects on zebrafish (*Danio rerio*) via inhibition of succinate dehydrogenase (SDH). *Environ Pollut.* 2020 Oct;265(Pt B):115031. <https://pubmed.ncbi.nlm.nih.gov/32806454/>
154. Yang Y, Liu W, Mu X, Qi S, Fu B, Wang C. Biological response of zebrafish embryos after short-term exposure to thifluzamide. *Sci Rep.* 2016 Dec 7;6:38485. <https://pubmed.ncbi.nlm.nih.gov/27924917/>

155. Yang Y, Liu W, Li D, Qian L, Fu B, Wang C. Altered glycometabolism in zebrafish exposed to thifluzamide. *Chemosphere*. 2017 Sep;183:89-96. <https://pubmed.ncbi.nlm.nih.gov/28535465/>
156. Yang Y, Dong F, Liu X, Xu J, Wu X, Qi S, Liu W, Zheng Y. Thifluzamide affects lipid metabolism in zebrafish (*Danio rerio*). *Sci Total Environ*. 2018 Aug 15;633:1227-1236. <https://pubmed.ncbi.nlm.nih.gov/29758875/>
157. Yang Y, Dong F, Liu X, Xu J, Wu X, Wang D, Zheng Y. Developmental toxicity by thifluzamide in zebrafish (*Danio rerio*): Involvement of leptin. *Chemosphere*. 2019 Apr;221:863-869. <https://pubmed.ncbi.nlm.nih.gov/31063912/>
158. Yanicostas C, Soussi-Yanicostas N. SDHI Fungicide Toxicity and Associated Adverse Outcome Pathways: What Can Zebrafish Tell Us? *Int J Mol Sci*. 2021 Nov 16;22(22):12362 <http://endsdhi.com/wp-content/uploads/2021/12/dino.pdf>
159. Yao H, Xu X, Zhou Y, Xu C. Impacts of isopyrazam exposure on the development of early-life zebrafish (*Danio rerio*). *Environ Sci Pollut Res Int*. 2018 Aug;25(24):23799-23808.65. <https://pubmed.ncbi.nlm.nih.gov/29876854/>
160. Yao H, Yu J, Zhou Y, Xiang Q, Xu C. The embryonic developmental effect of sedaxane on zebrafish (*Danio rerio*). *Chemosphere*. 2018 Apr;197:299-305. <https://www.ncbi.nlm.nih.gov/pubmed/29360593>
161. Yoshida M, Inoue K, Takahashi M. Predictive modes of action of pesticides in uterine adenocarcinoma development in rats. *J Toxicol Pathol*. 2015 Oct;28(4):207-16. Erratum in: *J Toxicol Pathol*. 2016 Jan;29(1):74 <https://pubmed.ncbi.nlm.nih.gov/26538810/>
162. You MP, Lamichhane JR, Aubertot JN, Barbetti MJ. Understanding Why Effective Fungicides Against Individual Soilborne Pathogens Are Ineffective with Soilborne Pathogen Complexes. *Plant Dis*. 2020 Mar;104(3):904-920. <https://pubmed.ncbi.nlm.nih.gov/31859588/>
163. Yuan M, Li W, Xiao P. Bixafen causes cardiac toxicity in zebrafish (*Danio rerio*) embryos. *Environ Sci Pollut Res Int*. 2021 Jul;28(27):36303-36313. <https://pubmed.ncbi.nlm.nih.gov/33694115/>
164. Zang X, Ji M, Wang K, Li X, Zhang Y, Li X, Tian H, Zhu H, Du F. Effects of Boscalid on the antioxidant enzyme system of adult Zebrafish (*Danio rerio*). 2017 *Agricul Sci Technol* 18, 287-293

<https://search.proquest.com/openview/89ff64898822ddcf941c9235d1b9f4e1/1?pq-origsite=gscholar&cbl=1596357>

165. Zhou Y, Yao H, Ni F, Xu C, Xu G. Impacts of benzovindiflupyr on the embryonic development of zebrafish (*Danio rerio*). *Toxicological & Environmental Chemistry*, 2018, 100:8-10, 753-768
<https://www.tandfonline.com/doi/abs/10.1080/02772248.2019.1587442?journalCode=gtcc20>
166. Ziaei Madbouni MA, Samih MA, Qureshi JA, Biondi A, Namvar P. Compatibility of insecticides and fungicides with the zoophytophagous mirid predator *Nesidiocoris tenuis*. *PLoS One*. 2017 Nov 2;12(11):e0187439. <https://pubmed.ncbi.nlm.nih.gov/29095873/>

Plus quelques références pour répondre à la question fréquente : Pourquoi les feuilles des plantes laissent passer si peu de choses...

En français :

<https://www.encyclopedie-environnement.org/zoom/entre-protection-defense-cuticule-plantes/>

En anglais :

<https://www.sciencedirect.com/science/article/>

<https://academic.oup.com/jxb/article/57/11/2515/673401>

Pour finir, en savoir plus sur nos recherches, des plus anciennes aux plus récentes

Paule Bénit : <https://www.ncbi.nlm.nih.gov/labs/pubmed/?term=benit+p>

Pierre Rustin : <https://www.ncbi.nlm.nih.gov/labs/pubmed/?term=rustin+p>